

ARTICOLO STUDIOS

DROP LENGTH & PENDANT ROD GUIDE 2023



13MM ROD DROP LENGTHS
MODULES AND CONFIGURATIONS



LUMI

STANDARD ROD LENGTH
900mm

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1176mm

Standard rod length and
total height apply to the single,
double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS


ROD LENGTH	TOTAL DROP
400mm	676mm
500mm	776mm
600mm	876mm
700mm	976mm
800mm (400mm + 400mm joined)	1076mm
900mm	1176mm
1000mm (600mm + 400mm joined)	1276mm
1100mm (600mm + 500mm joined)	1376mm
1200mm (600mm + 600mm joined)	1476mm
1300mm (900mm + 400mm joined)	1576mm
1400mm (900mm + 500mm joined)	1676mm
1500mm (900mm + 600mm joined)	1776mm
1600mm (900mm + 700mm joined)	1876mm

Custom lengths available by request.



13MM ROD DROP LENGTHS

MODULES AND CONFIGURATIONS



INDI

STANDARD ROD LENGTH
900mm

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1176mm

Standard rod length and
total height apply to the single,
double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	676mm
500mm	776mm
600mm	876mm
700mm	976mm
800mm (400mm + 400mm joined)	1076mm
900mm	1176mm
1000mm (600mm + 400mm joined)	1276mm
1100mm (600mm + 500mm joined)	1376mm
1200mm (600mm + 600mm joined)	1476mm
1300mm (900mm + 400mm joined)	1576mm
1400mm (900mm + 500mm joined)	1676mm
1500mm (900mm + 600mm joined)	1776mm
1600mm (900mm + 700mm joined)	1876mm

Custom lengths available by request.



INDI XL

STANDARD ROD LENGTH
900mm

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1424mm

Standard rod length and
total height apply to the single,
double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	924mm
500mm	1024mm
600mm	1124mm
700mm	1224mm
800mm (400mm + 400mm joined)	1324mm
900mm	1424mm
1000mm (600mm + 400mm joined)	1524mm
1100mm (600mm + 500mm joined)	1624mm
1200mm (600mm + 600mm joined)	1724mm
1300mm (900mm + 400mm joined)	1824mm
1400mm (900mm + 500mm joined)	1924mm
1500mm (900mm + 600mm joined)	2024mm
1600mm (900mm + 700mm joined)	2124mm

Custom lengths available by request.



13MM ROD DROP LENGTHS

MODULES AND CONFIGURATIONS



MONI

STANDARD ROD LENGTH
900mm

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1176mm

Standard rod length and
total height apply to the single,
double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	676mm
500mm	776mm
600mm	876mm
700mm	976mm
800mm (400mm + 400mm joined)	1076mm
900mm	1176mm
1000mm (600mm + 400mm joined)	1276mm
1100mm (600mm + 500mm joined)	1376mm
1200mm (600mm + 600mm joined)	1476mm
1300mm (900mm + 400mm joined)	1576mm
1400mm (900mm + 500mm joined)	1676mm
1500mm (900mm + 600mm joined)	1776mm
1600mm (900mm + 700mm joined)	1876mm

Custom lengths available by request.



MONI XL

STANDARD ROD LENGTH
900mm

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1424mm

Standard rod length and
total height apply to the single,
double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	924mm
500mm	1024mm
600mm	1124mm
700mm	1224mm
800mm (400mm + 400mm joined)	1324mm
900mm	1424mm
1000mm (600mm + 400mm joined)	1524mm
1100mm (600mm + 500mm joined)	1624mm
1200mm (600mm + 600mm joined)	1724mm
1300mm (900mm + 400mm joined)	1824mm
1400mm (900mm + 500mm joined)	1924mm
1500mm (900mm + 600mm joined)	2024mm
1600mm (900mm + 700mm joined)	2124mm

Custom lengths available by request.



13MM ROD DROP LENGTHS
MODULES AND CONFIGURATIONS



SCANDAL

STANDARD ROD LENGTH
1100mm
(600mm + 500mm joined)

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1195.5mm

Standard rod length and
total height apply to the
short and long pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS		
ROD LENGTH		TOTAL DROP
400mm		495.5mm
500mm		595.5mm
600mm		695.5mm
700mm		795.5mm
800mm	(400mm + 400mm joined)	895.5mm
900mm		995.5mm
1000mm	(600mm + 400mm joined)	1095.5mm
1100mm	(600mm + 500mm joined)	1195.5mm
1200mm	(600mm + 600mm joined)	1295.5mm
1300mm	(900mm + 400mm joined)	1395.5mm
1400mm	(900mm + 500mm joined)	1495.5mm
1500mm	(900mm + 600mm joined)	1595.5mm
1600mm	(900mm + 700mm joined)	1695.5mm
Custom lengths available by request.		

TRILOGY
HORIZONTAL

STANDARD ROD LENGTH
1100mm
(600mm + 500mm joined)

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1236mm

VARIABLE ROD LENGTHS AND CONFIGURATIONS		
ROD LENGTH		TOTAL DROP
400mm		536mm
500mm		636mm
600mm		736mm
700mm		836mm
800mm	(400mm + 400mm joined)	936mm
900mm		1036mm
1000mm	(600mm + 400mm joined)	1136mm
1100mm	(600mm + 500mm joined)	1236mm
1200mm	(600mm + 600mm joined)	1336mm
1300mm	(900mm + 400mm joined)	1436mm
1400mm	(900mm + 500mm joined)	1536mm
1500mm	(900mm + 600mm joined)	1636mm
1600mm	(900mm + 700mm joined)	1736mm
Custom lengths available by request.		




3/8" ROD DROP LENGTHS MODULES AND CONFIGURATIONS



FIZI SINGLE BALL

STANDARD ROD LENGTH		VARIABLE ROD LENGTHS AND CONFIGURATIONS	
1200mm (300mm + 900mm joined)	ROD LENGTH		TOTAL DROP
TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 1355mm	400mm	(300mm + 100mm joined)	555mm
	500mm	(300mm + 200mm joined)	655mm
	600mm	(300mm + 300mm joined)	755mm
	700mm		855mm
	800mm	(300mm + 500mm joined)	955mm
	900mm		1055mm
	1000mm	(300mm + 700mm joined)	1155mm
	1100mm	(300mm + 800mm joined)	1255mm
	1200mm	(300mm + 900mm joined)	1355mm
	1300mm	(300mm + 1000mm joined)	1455mm
Custom lengths available by request.			



FIZI TRIPLE BALL

STANDARD ROD LENGTH		VARIABLE ROD LENGTHS AND CONFIGURATIONS	
1200mm (300mm + 900mm joined)	ROD LENGTH		TOTAL DROP
TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 1355mm	400mm	(300mm + 100mm joined)	555mm
	500mm	(300mm + 200mm joined)	655mm
	600mm	(300mm + 300mm joined)	755mm
	700mm		855mm
	800mm	(300mm + 500mm joined)	955mm
	900mm		1055mm
	1000mm	(300mm + 700mm joined)	1155mm
	1100mm	(300mm + 800mm joined)	1255mm
	1200mm	(300mm + 900mm joined)	1355mm
	1300mm	(300mm + 1000mm joined)	1455mm
Custom lengths available by request.			



3/8" ROD DROP LENGTHS MODULES AND CONFIGURATIONS



FLOAT

STANDARD ROD LENGTH		VARIABLE ROD LENGTHS AND CONFIGURATIONS	
700mm		ROD LENGTH	TOTAL DROP
TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 1282mm	400mm	(300mm + 100mm joined)	982mm
	500mm	(300mm + 200mm joined)	1082mm
	600mm	(300mm + 300mm joined)	1182mm
	700mm		1282mm
	800mm	(300mm + 500mm joined)	1382mm
	900mm		1482mm
	1000mm	(300mm + 700mm joined)	1582mm
	1100mm	(300mm + 800mm joined)	1682mm
	1200mm	(300mm + 900mm joined)	1782mm
	1300mm	(300mm + 1000mm joined)	1882mm
Custom lengths available by request.			



OVOLO

STANDARD ROD LENGTH		VARIABLE ROD LENGTHS AND CONFIGURATIONS	
800mm (300mm + 500mm joined)		ROD LENGTH	TOTAL DROP
TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 1374mm	400mm	(300mm + 100mm joined)	974mm
	500mm	(300mm + 200mm joined)	1074mm
	600mm	(300mm + 300mm joined)	1174mm
	700mm		1274mm
	800mm	(300mm + 500mm joined)	1374mm
	900mm		1474mm
	1000mm	(300mm + 700mm joined)	1574mm
	1100mm	(300mm + 800mm joined)	1674mm
	1200mm	(300mm + 900mm joined)	1774mm
	1300mm	(300mm + 1000mm joined)	1874mm
Custom lengths available by request.			



3/8" ROD DROP LENGTHS MODULES AND CONFIGURATIONS



SLAB

STANDARD ROD LENGTH
900mm

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1342mm

Shade dimensions inclusive of
overall height may vary marginally
due to the nature of mouth blown
glass.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm (300mm + 100mm joined)	842mm
500mm (300mm + 200mm joined)	942mm
600mm (300mm + 300mm joined)	1042mm
700mm	1142mm
800mm (300mm + 500mm joined)	1242mm
900mm	1342mm
1000mm (300mm + 700mm joined)	1442mm
1100mm (300mm + 800mm joined)	1542mm
1200mm (300mm + 900mm joined)	1642mm
1300mm (300mm + 1000mm joined)	1742mm

Custom lengths available by request.



SLIM

STANDARD ROD LENGTH
900mm

TOTAL HEIGHT
INCLUDING SHADE
AND CEILING PLATE
1220mm

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm (300mm + 100mm joined)	720mm
500mm (300mm + 200mm joined)	820mm
600mm (300mm + 300mm joined)	920mm
700mm	1020mm
800mm (300mm + 500mm joined)	1120mm
900mm	1220mm
1000mm (300mm + 700mm joined)	1320mm
1100mm (300mm + 800mm joined)	1420mm
1200mm (300mm + 900mm joined)	1520mm
1300mm (300mm + 1000mm joined)	1620mm

Custom lengths available by request.



3/8" ROD DROP LENGTHS
MODULES AND CONFIGURATIONS



TRILOGY

STANDARD ROD LENGTH
ABOVE BALL
CONFIGURATION
616mm

TOTAL HEIGHT
INCLUDING SHADES
AND FITTINGS
1190mm

Rods below the ball
configuration are fixed
and not variable.
Customisation available
by request.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
300mm + 116mm + 574mm joined	990mm
300mm + 216mm + 574mm joined	1090mm
616mm + 574mm joined	1190mm
300mm + 416mm + 574mm	1290mm
300mm + 516mm + 574mm joined	1390mm
300mm + 616mm + 574mm joined	1490mm
300mm + 716mm + 574mm joined	1590mm

Custom lengths available by request.

