

MODULES AND CONFIGURATIONS



BANDED

STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 43.11"

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	GTH	TOTAL DROP
15.75"		23.43"
19.69"		27.36"
23.62"		31.30"
27.56"		35.24"
31.5"	(15.75" + 15.75" joined)	39.17"
35.43"		43.11"
39.37"	(23.62" + 15.75" joined)	47.05"
43.31"	(23.62" + 19.69" joined)	50.98"
47.24"	(23.62" + 23.62" joined)	54.92"
51.18"	(35.43" + 15.75" joined)	58.86"
55.12"	(35.43" + 19.69" joined)	62.80"
59.06"	(35.43" + 23.62" joined)	66.73"
62.99"	(35.43" + 27.56" joined)	70.67"

Custom lengths available by request.



LUMI

35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 46.30"

Standard rod length and total height apply to the single, double and triple pendants.

STANDARD ROD LENGTH VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENC	FTH .	TOTAL DROP
15.75"		26.61"
19.69"		30.55"
23.62"		34.49"
27.56"		38.43"
31.5"	(15.75" + 15.75" joined)	42.36"
35.43"		46.30"
39.37"	(23.62" + 15.75" joined)	50.24"
43.31"	(23.62" + 19.69" joined)	54.17"
47.24"	(23.62" + 23.62" joined)	58.11"
51.18"	(35.43" + 15.75" joined)	62.05"
55.12"	(35.43" + 19.69" joined)	65.98"
59.06"	(35.43" + 23.62" joined)	69.57"
62.99"	(35.43" + 27.56" joined)	73.86"



MODULES AND CONFIGURATIONS



INDI

STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 46.30"

Standard rod length and total height apply to the single, double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	GTH	TOTAL DROP
15.75"		26.61"
19.69"		30.55"
23.62"		34.49"
27.56"		38.43"
31.5"	(15.75" + 15.75" joined)	42.36"
35.43"		46.30"
39.37"	(23.62" + 15.75" joined)	50.24"
43.31"	(23.62" + 19.69" joined)	54.17"
47.24"	(23.62" + 23.62" joined)	58.11"
51.18"	(35.43" + 15.75" joined)	62.05"
55.12"	(35.43" + 19.69" joined)	65.98"
59.06"	(35.43" + 23.62" joined)	69.57"
62.99"	(35.43" + 27.56" joined)	73.86"

Custom lengths available by request.



INDI XL

STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS

56.06"

Standard rod length and total height apply to the single, double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	GTH .	TOTAL DROP
15.75"		36.38"
19.69"		40.31"
23.62"		44.25"
27.56"		48.19"
31.5"	(15.75" + 15.75" joined)	52.13"
35.43"		56.06"
39.37"	(23.62" + 15.75" joined)	60.00"
43.31"	(23.62" + 19.69" joined)	63.94"
47.24"	(23.62" + 23.62" joined)	67.87"
51.18"	(35.43" + 15.75" joined)	71.81"
55.12"	(35.43" + 19.69" joined)	75.74"
59.06"	(35.43" + 23.62" joined)	79.69"
62.99"	(35.43" + 27.56" joined)	83.62"



MODULES AND CONFIGURATIONS



MONI

STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 46.30"

Standard rod length and total height apply to the single, double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	ЭТН	TOTAL DROP
15.75"		26.61"
19.69"		30.55"
23.62"		34.49"
27.56"		38.43"
31.5"	(15.75" + 15.75" joined)	42.36"
35.43"		46.30"
39.37"	(23.62" + 15.75" joined)	50.24"
43.31"	(23.62" + 19.69" joined)	54.17"
47.24"	(23.62" + 23.62" joined)	58.11"
51.18"	(35.43" + 15.75" joined)	62.05"
55.12"	(35.43" + 19.69" joined)	65.98"
59.06"	(35.43" + 23.62" joined)	69.57"
62.99"	(35.43" + 27.56" joined)	73.86"

Custom lengths available by request.



MONI XL

STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS

56.06"

Standard rod length and total height apply to the single, double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENC	FTH .	TOTAL DROP
15.75"		36.38"
19.69"		40.31"
23.62"		44.25"
27.56"		48.19"
31.5"	(15.75" + 15.75" joined)	52.13"
35.43"		56.06"
39.37"	(23.62" + 15.75" joined)	60.00"
43.31"	(23.62" + 19.69" joined)	63.94"
47.24"	(23.62" + 23.62" joined)	67.87"
51.18"	(35.43" + 15.75" joined)	71.81"
55.12"	(35.43" + 19.69" joined)	75.74"
59.06"	(35.43" + 23.62" joined)	79.69"
62.99"	(35.43" + 27.56" joined)	83.62"



MODULES AND CONFIGURATIONS







SCANDAL

STANDARD ROD LENGTH 43.31"

(23.62" + 19.69" joined)

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 47.07"

Standard rod length and total height apply to the short and long pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	ЭТН	TOTAL DROP
15.75"		19.51"
19.69"		23.44"
23.62"		27.38"
27.56"		31.32"
31.5"	(15.75" + 15.75" joined)	35.26"
35.43"		39.19"
39.37"	(23.62" + 15.75" joined)	43.13"
43.31"	(23.62" + 19.69" joined)	47.07"
47.24"	(23.62" + 23.62" joined)	51.00"
51.18"	(35.43" + 15.75" joined)	54.94"
55.12"	(35.43" + 19.69" joined)	58.87"
59.06"	(35.43" + 23.62" joined)	62.81"
62.99"	(35.43" + 27.56" joined)	66.75"

Custom lengths available by request.

TRILOGY HORIZONTAL

STANDARD ROD LENGTH 43.31" (23.62" + 19.69" joined)

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 48.66"

VARIABLE ROD LENGTHS AND CONFIGURATIONS

DOD LENG	2711	TOTAL DROD
ROD LENG	J I H	TOTAL DROP
15.75"		21.22"
19.69"		25.04"
23.62"		28.98"
27.56"		32.91"
31.5"	(15.75" + 15.75" joined)	36.85"
35.43"		40.79"
39.37"	(23.62" + 15.75" joined)	44.72"
43.31"	(23.62" + 19.69" joined)	48.66"
47.24"	(23.62" + 23.62" joined)	52.60"
51.18"	(35.43" + 15.75" joined)	56.54"
55.12"	(35.43" + 19.69" joined)	60.47"
59.06"	(35.43" + 23.62" joined)	64.41"
62.99"	(35.43" + 27.56" joined)	68.35"



MODULES AND CONFIGURATIONS



FIZI SINGLE BALL

STANDARD ROD LENGTH 47.25" (11.81" + 35.43" joined)

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS

53.78"

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	ЭТН	TOTAL DROP
15.75"	(11.81" + 3.94" joined)	21.85"
19.69"	(11.81" + 7.87" joined)	25.79"
23.62"	(11.81" + 11.81" joined)	29.72"
27.56"		33.66"
31.50"	(11.81" + 19.69" joined)	37.60"
35.43"		41.54"
39.37"	(11.81" + 27.56" joined)	45.47"
43.31"	(11.81" + 31.50" joined)	49.41"
47.25"	(11.81" + 35.43" joined)	53.35"
51.18"	(11.81" + 39.37" joined)	57.28"

Custom lengths available by request.

FIZI TRIPLE BALL

STANDARD ROD LENGTH 47.24"

(11.81" + 35.43" joined)

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
53.78"

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	Э TH	TOTAL DROP
15.75"	(11.81" + 3.94" joined)	21.85"
19.69"	(11.81" + 7.87" joined)	25.79"
23.62"	(11.81" + 11.81" joined)	29.72"
27.56"		33.66"
31.50"	(11.81" + 19.69" joined)	37.60"
35.43"		41.54"
39.37"	(11.81" + 27.56" joined)	45.47"
43.31"	(11.81" + 31.50" joined)	49.41"
47.25"	(11.81" + 35.43" joined)	53.35"
51.18"	(11.81" + 39.37" joined)	57.28"



MODULES AND CONFIGURATIONS



FLOAT

STANDARD ROD LENGTH 27.56"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 50.47"

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	тн	TOTAL DROP
15.75"	(11.81" + 3.94" joined)	38.66"
19.69"	(11.81" + 7.87" joined)	42.60"
23.62"	(11.81" + 11.81" joined)	46.54"
27.56"		50.47"
31.50"	(11.81" + 19.69" joined)	54.41"
35.43"		58.35"
39.37"	(11.81" + 27.56" joined)	62.28"
43.31"	(11.81" + 31.50" joined)	66.22"
47.24"	(11.81" + 35.43" joined)	70.16"
51.18"	(11.81" + 39.37" joined)	74.09"

Custom lengths available by request.



31.50" (11.81" + 19.69" joined)

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 54.09"

Shade dimensions inclusive of overall height may vary marginally due to the nature of mouth blown glass.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENC	FTH	TOTAL DROP
15.75"	(11.81" + 3.94" joined)	38.35"
19.69"	(11.81" + 7.87" joined)	42.28"
23.62"	(11.81" + 11.81" joined)	46.22"
27.56"		50.16"
31.50"	(11.81" + 19.69" joined)	54.09"
35.43"		58.03"
39.37"	(11.81" + 27.56" joined)	61.97"
43.31"	(11.81" + 31.50" joined)	65.91"
47.24"	(11.81" + 35.43" joined)	69.84"
51.18"	(11.81" + 39.37" joined)	73.78"



MODULES AND CONFIGURATIONS



SLAB

STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 52.80"

Shade dimensions inclusive of overall height may vary marginally due to the nature of mouth blown glass.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
15.75"	(11.81" + 3.94" joined)	33.15"
19.69"	(11.81" + 7.87" joined)	37.09"
23.62"	(11.81" + 11.81" joined)	41.02"
27.56"		44.96"
31.50"	(11.81" + 19.69" joined)	48.90"
35.43"		52.80"
39.37"	(11.81" + 27.56" joined)	56.77"
43.31"	(11.81" + 31.50" joined)	60.71"
47.24"	(11.81" + 35.43" joined)	64.65"
51.18"	(11.81" + 39.37" joined)	68.58"

Custom lengths available by request.



STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 48.03"

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
15.75"	(11.81" + 3.94" joined)	28.35"
19.69"	(11.81" + 7.87" joined)	32.28"
23.62"	(11.81" + 11.81" joined)	36.22"
27.56"		40.16"
31.50"	(11.81" + 19.69" joined)	44.09"
35.43"		48.03"
39.37"	(11.81" + 27.56" joined)	51.97"
43.31"	(11.81" + 31.50" joined)	55.91"
47.24"	(11.81" + 35.43" joined)	59.84"
51.18"	(11.81" + 39.37" joined)	63.78"



MODULES AND CONFIGURATIONS



TRILOGY

STANDARD ROD LENGTH ABOVE BALL CONFIGURATION

24.25"

TOTAL HEIGHT INCLUDING SHADES AND FITTINGS

47.25"

Rods below the ball configuration are fixed and not variable. Customisation available by request.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
11.81" + 4.57" + 23" joined	38.98"
11.81" + 8.50" + 23" joined	42.91"
24.25" + 23" joined	46.85"
11.81" + 16.38" + 23" joined	50.79"
11.81" + 20.32" + 23" joined	54.72"
11.81" + 24.25" + 23" joined	58.66"
11.81" + 28.19" + 23" joined	62.60"

